

# Table of Figures

<u>Figure</u>	<u>Title</u>	<u>Page</u>
2-1	Upper White River Basin -----	2-2
2-2	White River at Lake Indy -----	2-6
2-3	White River Upstream of Raymond Street Bridge -----	2-6
2-4	Fall Creek Downstream of Illinois Street Bridge -----	2-7
2-5	Fall Creek Upstream from 16th Street -----	2-8
2-6	Little Eagle Creek at Michigan Street -----	2-8
2-7	Eagle Creek Upstream of Minnesota Street and Pershing Avenue -----	2-9
2-8	Pleasant Run at Ellenberger Park -----	2-10
2-9	Pleasant Run at Bluff Road -----	2-10
2-10	Pogues Run Near Temple Avenue Upstream of CSO 099 -----	2-11
2-11	Pogues Run Downstream of Arsenal and 10th Street Bridge and School 101 -----	2-11
2-12	Lick Creek Downstream of CSO 235 -----	2-12
2-13	Lick Creek Near Bluff Road -----	2-12
2-14	State Ditch Downstream of CSO 217 -----	2-13
2-15	State Ditch Downstream of Mooresville Street -----	2-13
2-16	White River: Percent Compliance with Indiana Dissolved Oxygen Standard of 4 mg/L ----	2-20
2-17	White River: Percent Compliance with Indiana Dissolved Oxygen Standard of 5 mg/L ----	2-20
2-18	White River Continuous Dissolved Oxygen Data: 16th Street -----	2-21
2-19	White River Continuous Dissolved Oxygen Data: Waverly (SR 144) -----	2-21
2-20	White River Continuous Dissolved Oxygen Data: IPL Station -----	2-22
2-21	White River Average Daily Continuous Dissolved Oxygen Data: 16th Street -----	2-22
2-22	White River Average Daily Continuous Dissolved Oxygen Data: IPL Station -----	2-23
2-23	White River Average Daily Continuous Dissolved Oxygen Data: Waverly (SR 144) -----	2-23
2-24	White River <i>E.coli</i> Data: 96th Street -----	2-24
2-25	White River <i>E.coli</i> Data: 82nd/86th Street -----	2-24
2-26	White River <i>E.coli</i> Data: Marina Drive -----	2-25
2-27	White River <i>E.coli</i> Data: Ruth Drive -----	2-25
2-28	White River <i>E.coli</i> Data: Broad Ripple Park Ramp -----	2-26
2-29	White River <i>E.coli</i> Data: 6800 Cornell Avenue -----	2-26



# Table of Figures

<u>Figure</u>	<u>Title</u>	<u>Page</u>
2-30	White River <i>E.coli</i> Data: Lake Indy -----	2-27
2-31	White River <i>E.coli</i> Data: 30th Street -----	2-27
2-32	White River <i>E.coli</i> Data: New York Street -----	2-28
2-33	White River <i>E.coli</i> Data: Morris Street -----	2-28
2-34	White River <i>E.coli</i> Data: Harding Street -----	2-29
2-35	White River <i>E.coli</i> Data: Raymond Street -----	2-29
2-36	White River <i>E.coli</i> Data: Tibbs/Banta Landfill -----	2-30
2-37	White River <i>E.coli</i> Data: Southwestway Park -----	2-30
2-38	White River <i>E.coli</i> Data: Waverly (SR 144) -----	2-31
2-39	Percent Compliance with Indiana Single Sample Maximum <i>E.coli</i> Bacteria Standard of 235 cfu/100 mL in the White River -----	2-31
2-40	White River Stream Segments -----	2-32
2-41	Percent Compliance with Indiana Dissolved Oxygen Standard of 4 mg/L in Fall Creek ----	2-35
2-42	Fall Creek Measured Dissolved Oxygen at Boulevard Station -----	2-35
2-43	Fall Creek <i>E.coli</i> Data: 71st Street -----	2-36
2-44	Fall Creek <i>E.coli</i> Data: Emerson Way -----	2-36
2-45	Fall Creek <i>E.coli</i> Data: 5700 Fall Creek Parkway -----	2-37
2-46	Fall Creek <i>E.coli</i> Data: 4500 Fall Creek Parkway -----	2-37
2-47	Fall Creek <i>E.coli</i> Data: Keystone Avenue -----	2-38
2-48	Fall Creek <i>E.coli</i> Data: 38th Street -----	2-38
2-49	Fall Creek <i>E.coli</i> Data: 30th Street -----	2-39
2-50	Fall Creek <i>E.coli</i> Data: Central Avenue -----	2-39
2-51	Fall Creek <i>E.coli</i> Data: Capitol Avenue -----	2-40
2-52	Fall Creek <i>E.coli</i> Data: Martin Luther King, Jr. Street -----	2-40
2-53	Fall Creek <i>E.coli</i> Data: 16th Street -----	2-41
2-54	Fall Creek <i>E.coli</i> Data: Stadium Drive -----	2-41
2-55	Percent Compliance with Indiana Single Sample Maximum <i>E.coli</i> Bacteria Standard of 235 cfu/100 mL in Fall Creek -----	2-42
2-56	Percent Compliance with Indiana Monthly Geometric Mean <i>E.coli</i> Bacteria Standard in Fall Creek -----	2-42



# Table of Figures

<b><u>Figure</u></b>	<b><u>Title</u></b>	<b><u>Page</u></b>
2-57	Fall Creek Stream Segments -----	2-43
2-58	Percent Compliance with Indiana Dissolved Oxygen Standard of 4 mg/L in Eagle Creek -	2-45
2-59	Percent Compliance with Indiana Dissolved Oxygen Standard of 4 mg/L in Eagle Creek -	2-46
2-60	Eagle Creek Stream Segments -----	2-47
2-61	Percent Compliance with Indiana Dissolved Oxygen Standard of 4 mg/L in Pleasant Run	2-49
2-62	Percent Compliance with Indiana Dissolved Oxygen Standard of 4 mg/L in Bean Creek -	2-49
2-63	Pleasant Run and Bean Creek Stream Segments -----	2-51
2-64	Percent Compliance with Indiana Dissolved Oxygen Standard of 4 mg/L in Pogues Run -	2-52
2-65	Pogues Run Stream Segments -----	2-54
2-66	Lick Creek Stream Segments -----	2-56
2-67	State Ditch Stream Segments -----	2-57
2-68	Interceptor Network Location Map -----	2-58
2-69	Septic Tank Elimination Program -----	2-65
2-70	Wet Weather Diversion Schematic -----	2-67
2-71	Belmont AWT Plant Processes Flow Schematic -----	2-70
2-72	Southport AWT Plant Process Flow Schematic -----	2-76
2-73	Average Annual <i>E. coli</i> Bacteria Load (cfu/yr) from CSO Sources -----	2-78
2-74	Ten Largest CSO BOD Load Discharge Points -----	2-80
2-75	Ten Largest CSO TSS Load Discharge Points (excludes 007 PE Bypass) -----	2-81
2-76	Monitored Instream <i>E.coli</i> Bacteria Concentrations Frequency Curve: White River in Indianapolis -----	2-83
2-77	Monitored Instream Bacteria Concentrations Frequency Curve: Fall Creek -----	2-83
2-78	Monitored Instream Bacteria Concentrations Frequency Curve: Eagle Creek -----	2-84
2-79	Monitored Instream Bacteria Concentrations Frequency Curve: Pleasant Run -----	2-84
2-80	Monitored Instream Bacteria Concentrations Frequency Curve: Bean Creek -----	2-85
2-81	Monitored Instream Bacteria Concentrations: Pogues Run -----	2-85
2-82	Maximum Predicted Bacteria Concentrations Caused by CSOs in the White River -----	2-86
2-83	Percent Compliance with Indiana Single Sample Maximum of <i>E. coli</i> on the White River Downstream of Marion County -----	2-87
2-84	Average Annual <i>E. coli</i> Bacteria Load (cfu/yr) from Stormwater Sources -----	2-88
2-85	Average Annual <i>E. coli</i> Bacteria Load (cfu/yr) from Failing Septic Sources -----	2-90



# Table of Figures

<u>Figure</u>	<u>Title</u>	<u>Page</u>
2-86	Average Annual <i>E. coli</i> Bacteria Load (cfu/yr) from Unpermitted Sanitary Sources -----	2-91
2-87	Average Annual <i>E. coli</i> Bacteria Load (cfu/yr) from Instream Wildlife -----	2-93
2-88	Average Annual <i>E. coli</i> Bacteria Load (cfu/yr) from AWT Plants' Treated Effluent -----	2-94
3-1	Inflatable Dam -----	3-6
3-2	Motor-operated Gate Regulator -----	3-6
3-3	Pioneer Reservoir Normal Fill and Overflow Path -----	3-8
3-4	Chicago TARP Tunnel -----	3-9
3-5	Enhanced High Rate Clarification (EHRC) System -----	3-10
3-6	Swirl Concentrator (Vortex Separator) -----	3-15
3-7	Partial Separation: Cost per Gallon of CSO Captured -----	3-24
3-8	Partial Separation: Total Scores by Technology -----	3-24
4-1	Stream Restoration Projects from 1994 through 2004 -----	4-8
4-2	Marion County Drainage Complaints -----	4-11
4-3	Annual Pounds of Hazardous Waste Collected by ToxDrop -----	4-15
4-4	Available In-System Storage Volume -----	4-19
4-5	CSO Outfall and Tributary Area Location Map for In-System Storage -----	4-20
4-6	In-System Storage Analysis -----	4-21
4-7	Mechanical Sluice Gates -----	4-21
4-8	Typical Inflatable Dam -----	4-23
4-9	Cost Comparison Analysis - In-System Storage Devices -----	4-24
4-10	72-Inch Pinch Valve -----	4-25
4-11	Indianapolis Wastewater Collection and Treatment Facilities -----	4-29
4-12	Schematic of CSO Long Term Control Plan Variant -----	4-30
4-13	Fall Creek Plan 1 -----	4-34
4-14	Fall Creek Plan 2 -----	4-35
4-15	Pogues Run Plan 1 -----	4-36
4-16	Pogues Run Plan 2 -----	4-38
4-17	Pleasant Run Plan 1 and 2 -----	4-39
4-18	Eagle Creek Plan 1 and 2 -----	4-40
4-19	White River Plan 1 (Map 1 of 2) -----	4-42
4-20	White River Plan 1 (Map 2 of 2) -----	4-43



# Table of Figures

<u>Figure</u>	<u>Title</u>	<u>Page</u>
4-21	White River Plan 2 (Map 1 of 2)-----	4-44
4-22	White River Plan 2 (Map 2 of 2)-----	4-45
4-23	Total Sewer Separation Plan 3 -----	4-46
4-24	Watershed Improvement Projects -----	4-48
4-25	Wet-weather Treatment Improvements Recommended for the Belmont AWT Plant -----	4-51
4-26	General Layout of Belmont AWT Plant Wet-weather Treatment Improvements -----	4-52
4-27	Annual Average System Flowrates -----	4-58
4-28	Regression Analysis of System Annual Flowrates -----	4-58
4-29	Southport Facility Process Flow Sheet -----	4-63
4-30	Southport Facility Expansion and CSO Treatment -----	4-64
4-31	Alternative Concepts for the Interplant Connection-----	4-66
4-32	Proposed Routing of the Interplant Connection -----	4-68
4-33	Capital Cost Comparison of Interplant Connection Concepts -----	4-69
4-34	CSO Control Plan 1 -----	4-71
4-35	CSO Control Plan 2 -----	4-72
4-36	CSO Control Plan 1 Cost Estimate by Percent Capture -----	4-76
4-37	CSO Control Plan 2 Cost Estimate by Percent Capture -----	4-77
4-38	Annual Volume Discharge by Percent Capture -----	4-81
4-39	Annual BOD Reduction by Percent Capture -----	4-82
4-40	White River Watershed Plan Options and Level of Control Evaluated: Percent Capture and <i>E. coli</i> Levels -----	4-85
4-41	White River Watershed Plan Options and Level of Control Evaluated: <i>E.coli</i> Bacteria ----- Exceedances -----	4-86
4-42	Present Worth Costs for Each Alternative by Percent Capture-----	4-89
4-43	Present Worth Costs for Each Alternative by <i>E. coli</i> Days per Year over 235 cfu/100mL -----	4-90
4-44	Present Worth Costs for Each Alternative by <i>E. coli</i> Days per Year Over 10,000 cfu/100mL -----	4-91
4-45	Present Worth Costs (\$/Gal. Captured) for Each Alternative by Percent Capture -----	4-92
4-46	Present Worth Costs (\$/ lb BOD Removed) for Each Alternative by Percent Capture----	4-92



# Table of Figures

<u>Figure</u>	<u>Title</u>	<u>Page</u>
4-46	Present Worth Costs (\$/lb BOD Removed) for Each Alternative by Percent Capture -----	4-93
4-47	Present Worth Costs (\$M/unit of <i>E. coli</i> Bacteria Removed) for Each Alternative by Percent Capture -----	4-94
4-48	Present Worth Costs for Mixed Plans by Percent Capture -----	4-95
4-49	Current Conditions Compared to 93% Capture Level of Control -----	4-99
4-50	Current Conditions Compared to 95% Capture Level of Control -----	4-100
4-51	Current Conditions Compared to 97% Capture Level of Control -----	4-101
5-1	Stream Line Insert Card -----	5-11
5-2	Public Meeting Invitation -----	5-13
5-3	Public Meeting Flier -----	5-14
5-4	Public Meeting Display Advertisement -----	5-14
5-5	Clean Stream Team Website with CSO Control Options -----	5-15
5-6	Ranking of Neighborhood Issues -----	5-16
5-7	Comparison of Costs and Benefits of Systemwide Plan Options -----	5-17
5-8	Comparison Costs and Benefits of U.S. EPA Suggested Plan -----	5-18
5-9	Neighborhood Impacts Histograms -----	5-19
5-10	Environmental Benefits and Cost Impacts Histograms -----	5-20
6-1	Projected Revenue Requirements -----	6-3
6-2	Residential Indicator Criteria - U.S. EPA Guidance -----	6-5
6-3	Residential Indicator, 2005-2025 Recommended Plan, 20-Year Implementation -----	6-5
6-4	Wholesale Customers -----	6-6
6-5	Indianapolis Regional Major Capital Investment Programs / Projects 2001-2025 (20-year ENR Indexed) -----	6-7
6-6	Permittee Financial Capability Indicator Criteria -----	6-11
6-7	Jobs Lost 2001-2004 -----	6-14
6-8	Summary of Financial Capability Indicators: U.S. EPA Guidance -----	6-17
7-1	Systemwide Selected CSO Plan -----	7-3
7-2	Fall Creek Watershed Control Measures -----	7-9
7-3	Pogues Run Watershed Control Measures -----	7-11
7-4	Pleasant Run Watershed Control Measures -----	7-12



# Table of Figures

<u>Figure</u>	<u>Title</u>	<u>Page</u>
7-5	Eagle Creek Watershed Control Measures -----	7-13
7-6a	White River Watershed Control Measures (Map 1 of 2)-----	7-15
7-6b	White River Watershed Control Measures (Map 2 of 2)-----	7-16
7-7	General Layout of Belmont AWT Plant Treatment Improvements -----	7-18
7-8	Southport AWT Plant Improvements Schematic -----	7-20
7-9	Proposed Routing of the Interplant Connection -----	7-21
7-10	Modeled Comparison of Average Annual CSO Volume for Baseline Conditions and the Selected LTCP -----	7-24
7-11	Modeled Comparison of Average Annual CSO Volume for Baseline Conditions and the Selected LTCP by Individual Watershed -----	7-24
7-12	Estimated Number of Storms Causing Overflows Per Year, 1950-2003 Baseline Conditions vs. Selected LTCP -----	7-25
7-13	Estimated Number of Storms Causing Overflows During April-October, 1950-2003 Baseline Conditions vs. Selected LTCP -----	7-26
7-14	Estimated Storms Causing Overflows Distributed by Month, 1950-2003 Baseline Conditions vs. Selected LTCP -----	7-27
7-15	Program Phasing Implementation Schedule -----	7-33
8-1	Receiving Stream Monitoring Stations -----	8-13
8-2	CSO Outfall and Rainfall Monitoring Stations -----	8-14
8-3	Sample Percent Capture Hydrograph -----	8-18
9-1	Percent of Days Per Year Attaining Recreational Use vs. Level of Control -----	9-6
9-2	Streamflow Conditions: White River -----	9-8
9-3	Streamflow Conditions: Fall Creek -----	9-9
9-4	Streamflow Conditions: Pleasant Run -----	9-10
9-5	Streamflow Conditions: Pogues Run -----	9-11
9-6	Streamflow Conditions: Eagle Creek -----	9-12
9-7	Historic Sites and Historic Areas within Combined Sewer Area-----	9-14

